LEVELY (12)

NSWC TR 80-59

A SOURCE MANUAL FOR INFORMATION ON NITINOL AND NITI

FIRST REVISION

BY DAVID GOLDSTEIN

RESEARCH AND TECHNOLOGY DEPARTMENT

1 FEBRUARY 1980

DTIC ELECTE MAY 2 9 1980

Approved for public release, distribution unlimited.



NAVAL SURFACE WEAPONS CENTER

Dahlgren, Virginia 22448 • Silver Spring, Maryland 20910

80 5 29 011

SECURITY OF ASSISTEDATION OF THIS PAGE (When Data Entered)

		READ INSTRUCTIONS
-	REPORT DOCUMENTATION PAGE	BEFORE COMPLETING FORM
1	NSWC TR-80-59 AD-AOSH 750	3 RECIPIENT'S CATALOG NUMBER
7	A SOURCE MANUAL FOR INFORMATION ON NITINOL AND	5 TYPE OF REPORT & PERIOD COVERED
1	ViŢi,	Final Mept,
1	First Revision).	6 PERFORMING ORG. REPORT NUMBER
	David Goldstein	8 CONTRACT OR GRANT NUMBER(s)
1	PERFORMING ORGANIZATION NAME AND ADDRESS	10 PROGRAM ELEMENT PROJECT, TASK AREA & WORK UNIT NUMBERS
	Naval Surface Weapons Center White Oak, Silver Spring, MD 20910	OPN; NSWC-1936; SEA-03542; CR32HB
	1. CONTROLLING OFFICE NAME AND ADDRESS	1 February (180)
		(12) 53
	14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	UNCLASSIFIED
ļ		154. DECLASSIFICATION DOWNGRADING SCHEDULE
-	6. DISTRIBUTION STATEMENT (of this Report)	<u> </u>
	7. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, If different fro	an Report)
		•
L	8. SUPPLEMENTARY NOTES	
	9. KEY WORDS (Continue on reverse side if necessary and identify by block number)	
	NITINOL Nickel-Titanium Alloys	3
1	HiTi Shape Memory Effect	
1	· 	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Shape Memory Effect	ny, titles of a group of ed. Guidelines for obtainin

DD 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE S/N 0102-LF-014-6601

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered;

411563 Sme

FOREWORD

This manual is a current listing of most of the published literature on NITINOL and NiTi alloys. It includes a bibliography, titles of a group of NSWC unpublished internal reports, and patents issued. Guidelines for obtaining licenses for Navy owned patents and for technical assistance by the Navy are presented.

The manual is intended to aid scientists and designers in locating specific kinds of information on NITINOL shape memory effect alloys.

Numerous additions have been made to both the Bibliography and Patent Listing in this first revision of the Source Manual, NSWC/WOL TR 78-26.

1717

J. R. DIXON
By direction

Accession For MTIS GRA&I DDC TAB Unarmounced Justification	
By	
Distribution/	
Avoilability Codes	
Availand	١
pist special	١
12	
	-

PREFACE

The broad applications for NITINOL and the diversity of publications in which the literature appears presents difficulty to those researching shape memory effect alloys. This manual is intended to alleviate the difficulty.

Literature titles on NITINOL are indexed by year of publication. This indexing system permits adding titles from the current year and from prior years.

CONTENTS

		Page
1	INTRODUCTION	7
2	LITERATURE SURVEY	8
3	INTERNAL REPORTS	36
4	PATENTS	36

1. INTRODUCTION

NITINOL is the generic name which has been given to the family of alloys which are near NiTi in composition. They were developed in 1961 during an examination of ten different intermetallic compounds considered potentially useful as missile nose tip materials. The NiTi alloy exhibited what is now identified as a "shape memory effect" (SME).

The inventors of record, (Patent 3 174 851) W. J. Buehler and R. Wiley named the alloy family "NITINOL". This is derived from the chemical symbol "NiTi" followed by "NOL", the acronym for Naval Ordnance Laboratory, the prior designation of the Naval Surface Weapons Center.

As knowledge of the existence of this shape memory effect alloy broadens, so does the demand for knowledge of its properties. To assist those now entering the NITINOL technology community this source manual has been prepared.

The early years of research in this alloy concentrated on an understanding of the mechanism of the transformation and a comprehension of the overt SME behavior of the alloy. This was followed by commercial production of the alloy and the appearance of a narrow line of commercial products using the alloy. Simultaneously a large number of patents and ingenious new ways to utilize the alloy surfaced, but only a few were commerciallized.

Among the difficulties would-be entrepreneurs encountered were a lack of adequate NITINOL supplies in the shape and sizes desired, of selected transition-temperature and transition band widths at reasonable costs, and with prompt delivery. It has become clear that it is now in the Navy's interest to assist in the development of commercial applications for NITINOL. These will ultimately provide a self sustaining production base for alloy, as well as provide commercial sources of metal for low volume DOD applications.

It is against this background that the NITINOL Technology Center was activated in 1977 to explore low cost manufacturing technology for NITINOL and to assist in the development of NITINOL-using devices. The Center has a complete melting and fabricating facility for NITINOL.

For the development of NITINOL-using devices, the Technology Center offers guidance and/or prototype development programs. These

are usually joint efforts with other government agencies or commercial organizations. (Funding by the private sector for materials and/or services is permitted on a non-profit basis. Advance payment to the Commander, Naval Surface Weapons Center is required.) The facilities of NSWC are available to the NITINOL Technology Center, enabling complete design and fabrication of prototypes. This service is offered only if equivalent capability is not available from industry and is subordinate to Navy projects.

Current program emphasis is on manufacturing technology for NITINOL. Objectives are high quality wire and strip using existing commercial facilities. The output of this effort will be made available to designers and users for prototype devices and limited production runs.

2. LITERATURE SURVEY

Most of the publications listed here are available in open literature. Those with asterisks* following an identifier number may be ordered from the

National Technical Information Service 5285 Port Royal Road Springfield, VA 22161

NTIS also offers "Published Searches" of technical literature for \$25 and "On Line" search for \$100.

The NITINOL Technology Center maintains as complete a file of publications as possible. Duplication of specific articles can be arranged. Requests for assistance should be directed to:

Naval Surface Weapons Center NITINOL Technology Center Code CR-32 White Oak, Maryland 20910

Articles in the following bibliography are coded by the last two digits of the publication year, followed by the first letter of the principal author's name and a sequential number.

BIBLIOGRAPHY

- 79Bl Bensmann, G.; Baumgart, F.; Hartwig, J.; Haasters, J., Untersuchungen der Memory-Legierung Nickel-Titan and Überlegungen zu ihrer Anwendung im Bereich der Medizin, Tech. Mitt. Krupp, Forsch. Ber., Band 37 (1979), H. 1, p. 21-33 (in German).
- 79Cl Caskey, M. R.; Embry, G. D., Use of Heat Recoverable Coupling Technology in Shipyard Production, Naval Engineers Journal, Apr 1979, p. 45-59.
- 79C2 Cowen R. C., Hot and Cold Running Energy, The Christian Science Monitor, p. 1, Jan 1979.
- 79C3 Curry, D. T., New Uses for Metals that Remember, Machine Design, 25 Oct 1979, p. 113-117.
- 79Gl Goldstein, D.; Tydings, J., A Connector Like Device for Joining Optical Fibers, 1979 12th Annual Connector Symposium Proceedings, p. 214-220, Cherry Hill, NJ, Oct 1979.
- 79G2 Ginell, W. S.; McNichols, J. L., Jr.; Cory J. S., Nitinol Heat Engines for Low-grade Thermal Energy Conversion, Mechanical Engineering, May 1979, p. 28-33.
- 79Hl Honma, T.; Netsu, N., Effects of the Heat Treatments on the Shape Memory Behavior of TiNi Coil used in the Nitinol Heat Engine, Joint Seminar on Mechanical Behavior of Metals, Troy, NY, Jun 1979.
- 79H2 Honma, T., The Effects of the Heat-Treatments and Ni Content on the Tensile Properties of TiNi at Room Temperature, Joint Seminar on Mechanical Behavior of Metals, Troy, NY, Jun 1979.
- 79H3 Honma, T.; Matsumoto, M.; Shugo, Y.; Yamazaki, I., Effects of Addition of 3d Transition Elements on the Phase Transformation in TiNi Compound, ICOMAT-79, Jun 1979, Cambridge, Mass., 27 Jun 1979.

- 79Kl Khachin, V. N.; Gjunter, V. E.; Sivokha V. P.; Savvinov, A. S., Lattice Instability, Martensitic Transformations, Plasticity and Anelasticity of TiNi, ICOMAT-79, 1979, Cambridge, Mass., 27 Jun 1979.
- 79Ml McNichols, J. L., Jr., Ginell, W. S., Cory, J. S., Thermoclines: A Solar Thermal Energy Resource for Enhanced Hydroelectric Power Production, Science, Vol. 203, Jan 1979, p. 167-168.
- 79M2 Melton, K. N.; Mercier O., Fatique of NiTi Thermoelastic Martensites, Acta Metallurgica, Vol. 27, pp. 137-144,
- 79M3 Mercier, O.; Melton, K. N., The Substitution of Cu for Ni in NiTi Shape Memory Alloys, Vol. 10A, Mar 1979, p. 387-389.
- 79Sl Schettler, D.; Baumgart, F.; Bensmann, G.; Haasters, J., Method of Alveolar Bracing in Mandibular Fractures Using a New Form of Fixation Made from Memory Alloy, Journal Maxillo-Facial Surgery, July 1979, p. 51-54.
- 79S2 Schetky, L. M., Shape-Memory Alloys, Scientific American, Nov 1979, p. 74-82.
- 79Wl Wollants, P.; De Bonte, M.; Roos, J. R., A Thermodynamic Analysis of the Stress-Induced Martensitic Transformation in a Single Crystal, Z. Metallkde, Bd. 70, 1979, H2, pp. 113-117.
- 79W2 Wollants, P.; De Bonte, M.; Delaey, L.; Roos, J. R., Themodynamic Analysis of the Work Performance of a Martensitic Transformation Under Stressed Conditions, Part 1. Theoretical Considerations, Z. Metallkde, Bd. 70, pp. 146-151, 1979, H3.

- 78Bl Baumgart F.; Bensmann, G.; Haasters, J.; Nolker, A.; Schlegel, K. F., Zur Dwyerschen Skoliosenoperation mittels Drähten aus Memory-Legierungen, Archives of Orthopaedic and Traumatic Surgery, 91 (in German), J. R. Bergmann Verlag Co., 1978, pp. 61-75.
- 78Cl Cory, J. S., Nitinol Heat Engines for Economical Conversion of Low Grade Thermal Energy, 13th Intersociety Energy Conversion Engineering Conference, San Diego, CA, 20-25 Aug 1978.
- 78Hl Honma, T.; Netsu N., Studies on the Heat Treatment for the Shape Memory Effect of TiNi Coil Used in Nitinol Heat Engine. (in Japanese), Bull, Res. Inst. Min. Dress. Met. Vol. 34, p. 105, 1978.
- 78Ml Melton K. N.; Mercier, O., The Effect of Opposing Stress on Shape Memory and Martensitic Reversion, Scripta Metallurgica, Vol. 12, pp. 5-9, 1978.
- 78M2 Melton K. N.; Mercier O., Deformation Behavior of NiTi-Based Alloys, Metallurgical Transactions A, Vol. 9A, Oct 1978, p. 1487-1488.
- 78Nl Netsu, N.; Iwabuchi, T; Honma, T., A Study of the TiNi Interacranial Aneurysm Clip Having the Shape Memory Effect, (in Japanese), Bulletin of the Research Institute of Mineral Dressing and Metallurgy, Tohoku University, Sendai, Japan, Vol. 34, No. 1 Jun 1978.
- 78S1 Schlegel, K. F.; Baumgart, F.; Bensmann, G.; Haasters, J., Memory-Alloys -- a New Material used for Implantation in Orthopaedic Surgery, The Orthopaedic Practitioner, Vol. I, 1978, p. 1-4 (in English).

- 77Bl Baumgart, F.; Bensmann, G.; Hartwig, J., Mechanische Probleme bei der Nutzung des Memory-Effektes für Osteosyntheseplatten, Tech. Mitt. Krupp, Forsh. Ber., Band 35, H3, 1977.
- 77Cl Cunningham, B.; Ashbee, K. H. B., Marmen Engines, Acta Metallurgica, Vol. 25, p. 1315-21, 1977.
- 77Gl Galton, L., An Easier, Quicker Way To Straighten Teeth, Parade, p. 11, June 12, 1977.
- 77Hl Haasters, J.; Schlegel, K. F.; Baumgart, F.; Bensmann, G., Anwendungsmöglichkeiten von Memory-Legierungen zur Osteosynthese, (1 experimentelle studie) Orthopädische Praxis, Sonderdruck aus Heft (in German), Aug 1977, XIII Jahrgang Seite 531-535.
- 77Jl Johnson, A. D., Katz, P. I., Spontaneous εmf Associated with Shape Memory Effect in TiNi, Jnl. Appl. Phys., Vol. 48, #1, p. 73-4, Jan 1977.
- 77Ll Lundsten, R; Buehler, W. J.; Jones, R., Nominal 60-NITINOL EOD Tools-Production Investigation and Evaluation, NSWC/WOL TR 76-81, June 1977.
- 77Ml Matsumoto, M.; Honma, H., Specific Heat of the Two Step Transformation of Ti50Ni50-xFex, (in Japanese), Bull, Res. Inst. Min. Dress. Met. Vol. 33, p. 103, 1977.
- 77Sl Schlegel, K. F., Memory-Legierungen ein neues Implantat-Material für die orthopädische Chirurgie, Orthopädische Praxis Sonderdruck aus Heft, XIII, Jahrgang Seite 528-530, Aug 1977.

- 76Al Anon., Latest on Heart Disease: New Theories, Treatments. U.S. News and World Report, Feb 1976, p. 49-50.
- 76Bl Banks, R.; Wahlig, M., NITINOL Engine Development LBL-5293 ERDA Contract W-7405-ENG-48 International Solar Energy Society Meeting, Winnipeg, Canada, August 1976.
- 76B2 Buehler, W. J., NITINOL Temperature Monitoring Devices, NSWC/WOL TR 75-140, AD A021578*, Jan 1976.
- Baumgart, F.; Jorde J.; Reiss, H. G., Memory-Legierungen Eigenschaften, phänomenologische Theorie und Anwendungen, (in German), Techn. Mitt. Krupp, Forsch, Ber., 1976, Band 34 Hl, p. 1-16.
- 76Cl Corbett, B., 'Magic' Alloy Tested to End Blood Clots, San Diego, Cal., Jan 1976.
- 76C2 Castleman, L. S.; Motzkin, S. M.; Alicandri, F. P.; Bonawit, V. L., Biocompatibility of Nitinol Alloy as an Implant Material, Journal of Bio Med Materials Research, Vol. 10, p. 695-731, 1976.
- 76El Eckelmeyer, K. H., The Effect of Alloying on the Shape Memory Phenomenon in Nitinol, Scripta Metallurgica, Vol. 10, pp. 667-672, 1976.
- 76Ml Mohamed, H. A. E. F., Martensite Transformation and Shape Memory Effectin Ni-Ti Alloy, LBL 5112*, May 1976.
- 76M2 Matsumoto, M.; Honma, H., Martensitic Transformation of Intermetallic Compound Ti₅₀Ni₄₇Fe₃, Proc. of First Inter. Symp. on "New Aspects of Martensitic Transformation" (in English), Kobe, Japan, p. 199-204, May 1976.
- 76M3 Mercier, O.; Melton, K. N., The Influence of an Anisotropic Elastic Medium on the Motion of Dislocations: Application to the Martensitic Transformation, Scripta Metallurgica, Vol. 10, pp. 1075-1080, 1976.
- 76Rl Raychem Cryofit Couplings, Raychem Corp., Brochure D-252, Aug 1976.
- 76R2 Robinson, A. F., Metallurgy: Extraordinary Alloys That Remember Their Past, Science Vol. 191, Mar 1976, p. 934-936.
- 76Yl Young, P., Memory Metal Recruited for War on Clots, National Observer, Jan 1976.

- 75Al Allen, R. R., Transmission Electron Microscopic Studies of Shape Memory Structures, Master Thesis, Naval Postgrad. School, AD-A009 967*, March 1975.
- 75A2 Anon., NITINOL: Metal with a Memory, All Hands, July 1975 p. 58-61.
- 75A3 Ahlers, M., On the Usefulness of Martensitic Transformations for Energy Conversion, Scripta Metallurgica, Vol. 9, pp. 71-74, 1975.
- 75Bl Banks, R., Nitinol Heat Engines, Shape Memory Effects in Alloys, J. Perkins, Ed. Plenum Press, N.Y., 1975.
- 75B2 Banks, R.; Hernandez, P.; Norgren, D., Nitinol Engine Project Test Bed, UCID-3739*, NSF/RANN/SE/AG-550/FR 75/2, July 1975.
- Baumgart, F.; Bensman, G.; Dietze, R.; Jorde, J; Kramer, K.; Experimental Work on the use of Memory Alloy NiTi as Drive for Deployment of Antennas and Solar Cell Arrays, KRUPP, GMBH, ESSEN, W. Germany, BMFT-FB-W-75-09, N 76-15257*, June 1975.
- Brook, G. B.; Iles, R. F.; Brooks, P. L., The Relationship Between Stacking Fault Energy and Shape Memory in Primary Solid Solutions..., Shape Memory Effects in Alloys, J. Perkins, Ed. Plenum Press, N.Y., 1975.
- 75El Eckelmeyer, K. H.; The Effect of Alloying on the Shape Memory Phenomenon in Nitinol, SAND 74-0418*, March 1975.
- 75E2 Edwards, G. R.; Perkins, J.; Johnson, J. M., Characterizing the Shape Memory Effect Potential of Ni-Ti Alloys, Scripta Metallurgica, Vol. 9, pp. 1167-1171, 1975.
- 75Fl Fishman, S. G.; Palmer, C. B., The Design and Fabrication of a Ceramic-Lined Gun Barrel Insert, NSWC/DL TR 3342 July 1975.
- 75Hl Harrison, J. D.; Hodgson, D. E., Use of TiNi in Mechanical and Electrical Connectors ..., Shape Memory Effects in Alloys, J. Perkins, Ed. Plenum Press, N.Y., 1975.
- 75H2 Honma, T.; Takei, H., Effect of Heat Treatment on the Martensitic Transformation in TiNi Compound, (in Japanese), Vol. 39, p. 175-182, 1975.
- 75Il Iwabuchi, T.; Suzuki, S.; Ebina, K.; Honma, T.; Memory Clip for Intracranical Aneurysm Surgery, Journal Neurosurg, Vol. 42, p. 733, 1975.

- 75Jl Johnson, A. D., Nitinol Heat Engines, IECEC Record, p. 530, 1975.
- 75J2 Johnson, J. M., Thermomechanical Characteristics of Nitinol, Thesis, Naval Postgrad. School, AD-A 009 986, March 1975. Met. Trans., 2, (1971), 229-238.
- 75Kl Kaufman, L.; Kulin, S. A.; Neshe, P., Internal Vibration Absorption Potential in Structural Materials..., Shape Memory Effects in Alloys, J. Perkins, Ed. Plenum Press, N.Y., 1975.
- 75Ml Mukherjee, K.; Chandrasekaran, M.; Milillo, F., Premartensitic-Martensite Transitions Related to Shape Memory Effect..., Shape Memory Effects in Alloys, J. Perkins, Ed. Plenum Press, N.Y., 1975.
- Owen, W. S., Shape Memory Effects and Applications: An Overview..., Shape memory Effects in Alloys, J. Perkins, Ed. Plenum Press, N.Y., 1975.
- 75Pl Perkins, J., Shape Memory Effects in Alloys, Plenum Press, N.Y., 1975. (Book)
- 75P2 Perkins, J.; Edwards, G. R.; Such, C. R.; Johnson, J. M.; Allen, R. R.; Thermomechanical Characteristics of Alloys Exhibiting Martensitic Thermoelasticity..., Shape Memory Effects in Alloys, J. Perkins, Ed. Plenum Press, N.Y., 1975.
- 75P3 Perkins, J., Martensitic Substructural Prerequisites for Shape Memory Effect (SME) Behavior, Scripta Metallurgica, Vol. 9, pp. 121-128, 1975.
- 75Rl Rodriguez, C.; Brown, L. C., The Mechanical Properties of SME Alloys, Shape Memory Effects in Alloys, J. Perkins, Ed. Plenum Press, N.Y., 1975.
- 75Sl Schmerling, M. A.; Wilkov, M. A.; Sanders, A. E.; Woosley, J. E., A Proposed Medical Application of the Shape Memory Effect: A NiTi Harrington Rod for the Treatment of Scoliosis..., Shape Memory Effects in Alloys, J. Perkins, Ed. Plenum Press, N.Y., 1975.
- 75S2 Shimizu, K.; Otsuka, K., Optical and Electron Microscope Observations of Transformation and Deformation Characteristics in Cu-Al-Ni Marmem Alloys..., Shape Memory Effects in Alloys, J. Perkins, Ed. Plenum Press, N.Y., 1975.

- 75Tl Tong, H. C.; Wayman C. M., Thermodynamic Considerations of "Solid State Engines: Based on Thermoelastic Martensitic Transformations and the Shape Memory Effect, Metallurgical Transactions A, Vol. 6A, January 1975-29.
- 75Vl Vatanayon, S.; Hehemann, R. F., Martensitic Transformations in β -Phase Alloys, Shape Memory Effects in Alloys, J. Perkins, Ed. Plenum Press, N.Y., 1975.
- 75Wl Masilewski, R. J., The Shape Memory Effect in TiNi: One Aspect of Stress-Assisted Martensitic Transformation, Shape Memory Effects in Alloys, J. Perkins, Ed. Plenum Press, N.Y., 1975.
- 75W2 Wasilewski, R. J., On the Nature of the Martensitic Transformation, Metallurgical Transactions A, Vol. 6A, Jul 1975, p. 1405-1418.
- 75W3 Wasilewski, R. J., On the "Reversible Shape Memory Effect" In Martensitic Transformation, Scripta Metallurgica, Vol. 9, pp. 417-422, 1975.
- 75W4 Wayman, C. M., On the Efficiency of the Shape Memory Effect for Energy Conversion, Scripta Metallurgica, Vol. 9, pp. 757-760, 1975.
- 7521 Zmuda, J. P., The Engine that Runs on Sunshine, Popular Science, April 1975, p. 87.

- 74Bl Ball, V. W., Simplified Shutter for Aerial Combat Surveillance Photography, Army Electronics Command, AS 918638 L*, April 1974.
- 74B2 Banks, R.; Hernandez, P., A Heat Engine Using Crystal Transformations, NSF Solar Cooling Workshop, February 1974.
- 74Dl Drennan, D. C.; Jackson, C. M., The Preparation of Modified Nitinol Alloys, Final Report, Contract N60921-74-C-0172, AD-A010 497*, March 1974.
- 74Hl Honma, T.; Matsumoto, M., Heat of Transformation of TiNi Compounds, (in Japanese), Bulletin of the Research Institute of Mineral Dressing and Metallurgy, Tohoku University, Vol. 29, No. 2, p. 187-192, 1974.
- 74Ml Mitchell, M. A.; Wang, F. E.; Cullen, J. R., Electronic Density of States in TiNi II and TiNi III, Jnl. of Applied Physics, Vol. 45, #8 p. 3337-3339, Aug 1974.
- 74M2 Mukherjee, K.; Milillo, F.; Chandrasekaran, M., Effects of Stress and Transformation Cycling on the Transition Behavior of a Nearly Stoichiometric Ti-Ni Alloy, Materials Science and Engineering, No. 14, p. 143-147, 1974.
- 74Nl Nagasawa, A.; Enami, K.; Ishino, Y.; Abe, Y.; Nenno, S., Reversible Shape Memory Effect, Scripta Metallurgica, Vol. 8, pp. 1055-1060, 1974.
- 74Pl Perkins, J., Residual Stresses and the Origin of Reversible (Two-Way) Shape Memory Effects, Scripta Metallurgica, Vol. 8, pp. 1469-1476, 1974.
- 74P2 Parsons, J. R.; and Black, J., New Materials for Orthopedic Prostheses A Survey, Sixth Annual International Biomaterials Symposium, Clemson University, Clemson, South Carolina, April 20-24, 1974.
- 74Rl Raychem Cryocon Devices, Raychem Corp., Brochure Me-008, Jan 1974.
- 74Sl Schwenk, W., Fabrication Techniques for Rivet Fasteners
 Utilizing 55-Nitinol, Final Report, AFML TR 74-7, AD 920193L*,
 Feb 1974.
- 74S2 Schwenk, W. and Huber, J., "Nitinol as a Fastener Material," SAMPE Quarterly, 5, (1974), 17-21.

- 74S3 Such, C. R., The Characterization of the Reversion Stress for NiTi, Thesis, Naval Postgrad. School, AD 784761*, June 74.
- 74Wl Wang (9th IECEC Proceedings) Potential Use of the TiNi Transition in Biomedical Power Systems, #749096, P. 748-53, 26 Aug 1974.
- 74Zl Zijlstra, S. R.; Beijer and Klostermann, J. A., An Electron-microscopical Investigation of the Martensitic Transformation in TiNi, Journal of Materials Science 9 (1974) 145-154.

- 73Al Andreasen, G. F.; Barrett, R. D., An Evaluation of Cobalt-Substituted Nitinol Wire in Orthodontics, American Journal of Orthodontics, Vol. 63, No. 5, pp. 462-470, May 1973.
- 7381 Buehler, W. J., Preliminary Study into Shell Mold Casting of Nominal 60-Nitinol Alloy, NOLTR 73-134, AD 765693*, July 1973.
- 73Cl Castleman, L. S., "Biocompatibility of Nitinol Alloy as an Implant Material," Fifth Annual Biomaterials Symposium, Clemson University, Clemson, S. Carolina, 1973.
- 73El Eckhardt, M. K., Evaluation of Nitinol Fittings for Joining Titanium Piping for Shipboard Applications, Final Report, NTIS AD-760-322*, April 1973.
- 73Gl Gudas, J. P.; Davis, D. A.; Gomer, F. J., Properties of Modified Nitinol Alloys, NSRDC-3919-28-503, AD-781 469,* March 1973.
- Gupta, S. P.; Mukherjee, K., Johnson, A. A., Diffusion Controlled Solid State Transformation in the Near-Equiatomic Ti-Ni Alloys, Materials Science and Engineering, 11, pp. 283-297, 1973.
- 73G3 Gutjahr, M. A., Buchner, H.; Beccu, K. D., Säufferer, H., A New Type of Reversible Negative Electrode for Alkaline Storage Batteries Based on Metal Alloy Hydrides, Proceedings of the 8th International Symposium on Power Sources, Brighton England, 1973.
- 73Ml Mukherjee, K., et al., "Stacking Modulated Structures in B₂ Ti-Ni Alloys," Materials Science and Engineering, 11, pp. 29-41, 1973.
- 73Pl Perkins, J., Lattice Transformations Related to Unique Mechanical Effects, Met. Trans, Vol. 4, p. 2709-2721, AD-786-340*, Dec 1973.
- 73P2 Poplis, N., NOL Sensor May Prevent Train Derailments, NOL Oak Leaf, Nov 1973.
- 73S1 Silha, C. W.; Schwenk, W. Fasteners with a Memory, SAE Paper 730900, Nat. Aerospace Engineering and Mfg. Meeting, Los Angeles, Ca., Oct 1973.
- 73Wl Wang, F. E., Twin and Antiphase Boundary Formations in Ti-Ni Through Inhomogeneous Shear Mechanism, J. Appl. Phys., Vol. 44, No. 7, July 1973, p. 3013.

- 72Al Anon., Military Specification, MIL-N-81191 (0.5), Jan 1977.
- 72A2 Andreasen, G. F.; Brady, P. R., A Use Hypothesis for 55 Nitinol Wire for Orthodontics, The Angle Orthodonist, Vol. 42, No. 2, pp. 172-177, Apr 1972.
- 72Gl German R. M.; St. Pierre, G. R., The High Temperature Thermodynamic Properties of Ni-Ti Alloys, Metallurigical Transactions, Vol. 3, Nov 1972, p. 2819-2823.
- 72Hl Honma, T.; Satow, T.; Isano, T., The High Temperature Oxidation of Intermetallic Compound TiNi (in Japanese), J. Japan Inst Met. Vol. 38, p. 242-246, 1972.
- 72H2 Honma, T.; Shugo, Y.; Matsumoto, M., The Effects of Thermal Cycles on the Resistivity-Temperature Curves of the Nonstoichiometric TiNi Compounds, Bulletin of the Research Institute of Mineral Dressing and Metallurgy, Tohoku University, Vol. 28, No. 1, p. 74-84 (in Japanese), June 1972, Sendai, Japan.
- 72H3 Honma, T.; Shugo, Y.; Matsumoto, M., Effects of Additives V, Cr, Mn, Zr, on the Transformation Temperature of TiNi Compound, Bulletin of the Research Institute of Mineral Dressing and Metallurgy, Tohoku University, Vol. 28, No. 2, p. 209-219 (in Japanese), Dec 1972, Sendai, Japan.
- Jackson, C. M.; Wagner, H. J. and Wasilewski, R. J.,

 55 Nitinol The alloy With A Memory: Its Physical Metallurgy,
 Properties and Applications, NASA-SP 5110, 1972. N72-30468*
- 72Ml Matsumoto, M.; Shugo, Y.: Honam, T., Neutron Diffraction of TiNi, Bulletin of the Research Institute of Mineral Dressing and Metallurgy, Tohoku University, Vol. 28, No. 1, p. 209, 1972, (in Japanese).
- 7201 Ordway, F.; Lare, P.; Hermann, R. A., Silicon Carbide Whisker-Metal Matrix Composites, Final Report, AFML-TR-71-252, AS 752589*, March 1972.
- 72Sl Suzuki, T.; Masumoto, K., Composition Dependence of Density in NiTi and CoTi Metalurgical Transactions, Vol. 3., p. 2009, July 1972.
- 72Wl Wang, F. E., On the TiNi (Nitinol) Martensitic Transition Part 1, NOLTR 72-4, AD 742767*, Jan 1972.

- 72W2 Wang, F. E.; Buehler, W. J., Additional Unique Property Changes Vol. 21, #3, p. 105, Aug 1972.
- 72W3 Wang F. E.; Pichart, S. J.; Alperin, H. A., Mechanism of the TiNi Martensitic Transformation and the Crystal Structures of TiNi-II and TiNi-III Phases, J. Appl. Phys., Vol. 43, No. 1 p. 97, January 1972.
- 72W4 Wayman, C. M.; Cornelis, I., and Shimizu, K., "Transformation Behavior and The Shape Memory in Thermally Cycled TiNi,"

 <u>Scripta Met.</u>, 6, (1972), 115-122.
- 72W5 Wayman, C. M., and Shimizu, K., "The Shape Memory Effect in Alloys", Metal Sciences Journal 6, p. 175, 1972.

- 71Al Andreasen, G. F.; Hilleman, T. B., An Evaluation of 55 Cobalt Substituted Nitinol Wire for Use in Orthodontics, JADA Vol. 82, Jun 1971, pp. 1373-1375.
- 71Hl Honma, T.; Matsumoto, M.; Shugo Y., Neutron Diffraction of TiNi, Euraton-Japan Joint Meeting on Pulsed Neutron Source, Ispra, p. 185, 1971.
- 71H2 Honma T., Tensile Properties and Hardness of the Nonstoichiometric Compounds TiNi at Room Temperature, Bull. Res. Inst. Min. Dress. Met., Vol. 27, No. 1, p. 245-252, (in Japanese), Oct 1971, Sendai, Japan.
- 71Nl Nagasawa, A., Martensite Transformation and Memory Effect in the NiTi Alloy, Journal of the Physical Society of Japan, Vol. 31, No. 1 July, 1971.
- 7101 Otsuka, K.; Sawamura, T.; Shimizu, K. and Wayman, C. M., "Characteristics of the Martensitic Transformation in TiNi and the Memory Effect," Met. Trans., 2, (1971), 2583-2588.
- 71Sl Sandrock, G. D.; Perkins, A. J. and Hehemann, R. F., "The Premartensitic Instability in Near-Equiatomic TiNi,"

 Met. Trans., 2, (1971), 2769-2781.
- 71Wl Wasilewski, R. J.; Butler, S. R.; Hanlon, J. E. and Worden, D., "Homogeneity Range and the Martensitic Transformation in TiNi," Met. Trans., 2, (1971), 229-238.
- 71W2 Wasilewski, R. J., "The Effects of Applied Stress on the Martensitic Transformation in TiNi," Met. Trans., 2, (1971), 2973-2981.
- 71W3 Wasilewski, R. J., The "Yield" Behavior of Stoichiometric TiNi Across the Martensitic Transformation Range, Scripta Metallurgica, Vol. 5, pp. 131-136, 1971.
- 71W4 Wasilewski, R. J., Stress-Assisted Martensite Formation in TiNi, Scripta Metallurgica, Vol. 5, pp. 127-130, 1971.

- 70Nl Nagasawa, A., A New Phase Transformation in the NiTi Alloy, Journal of the Physical Society of Japan, Vol. 29, No. 5, p. 1386, November, 1970.
- 7001 Ordway, F.; Lare, P.; Hermann, R. A., Silicon Carbide Whisker-Metal Matrix Composites, Interim Report, AFML-TR-70-126; AD 879292*, May 1970.
- 70Wl Wasilewski, R. J.; Butler, S. R.; Hanlon, J., and Worden, D., Discussion of "Solid State Diffusional Transformations in the Near-Equiatomic NiTi Alloys, Metallurgical Transactions, Vol. 1, 1970, p 1459-1460.

- Anonymous., Metal with a Memory for Shape Iron Age V 203 (22), p. 98, 1969.
- 69Bl Buehler, W. J., and Cross, W. B.: 55-Nitinol, Unique Wire Alloy with a Memory, Wire J., Vol. 2, June 1969, p. 41-49.
- 69Cl Errata See 68C3.
- 69C2 Cooper, J. E.; Bowker, D. E. and Cross, W. B.: Investigation of the Unique Memory Properties of 55-Nitinol Alloy, Materials and Processes for the 1970's, Proceedings of the 15th Annual Symposium of the Society of Aerospace Material and Process Engineers, 1969.
- 69C3 Cross, W. B.; Kariotis, A. H. and Stimler, F. J.: Nitinol Characterization Study, NASA CR-1433, N69-36367*, Sept 1969.
- Orennen, D. C.; Jackson, C. M. and Wagner, H. J.: A Study of the Homogeneity of a Large Ingot of a Nitinol Alloy, Final Report, Contract FAO-16-8835, Battelle Memorial Institute, Nov. 21, 1969.
- 69Hl Heisterkamp, C. A., III; Buehler, W. J. and Wang, F. E.: 55-Nitinol-A New Biomaterial, Paper presented at 8th International Conference on Medical and Biomedical Engineering (Chicago), 1969.
- 69Il Iwasaki, K. and Hasiguti, R. R.: Antiphase Boundaries in Ti50~Ni50 Alloys, Paper presented at the 3rd Bolton Landing Conference on Ordered Alloys (Lake George, N.Y.), 1969.
- 69Kl Koskimaki, D.; Marcinkowski, M. J. and Sastri, A. S.: Solid State Diffusional Transformations in the Near-Equiatomic Ni-Ti Alloys, Transactions of the Metallurgical Society of AIME, Vol. 245, 1969, p. 1883-1890.

- 69Nl Nagasawa, A.; Maki, T.; Kakinoki, J., Close Packed Layer Structures of NiTi Martensite, J. Phys. Soc. Japan 26 (1969), 1560.
- 69Wl Wagner, H. J. and Jackson, C. M.: What You Can Do With That "Memory" Alloy... Materials Engineering, Vol. 70, No. 4, Oct. 1969, p. 28-31.
- Wasilewski, R. J.; Butler, S. R.; Hanlon, J. E. and Worden, D.: The Structure Homogeneity Range in TiNi, J. Metals, Vol. 21, No. 3, 1969, p. 41A-42A.
- 69W3 Wang, F. E.; Cheng, Y.; Hu, K.; Tsao, P., TiNi-II Complex Structure, Journal of Applied Physics, Vol. 40 No. 4, Mar 1969, p. 1980-1983.

- 68Bl Ball, A.; Bergersen, S. G. and Hutchinson, M. M.: Effect of Room-Temperature Prestrain on the Tensile Properties of the Intermetallic Compound NiTi in the Temperature Range 150° to 370° C, Proceedings of the International Conference on the Strength of Metals and Alloys, transactions of the Japan Institute of Metals, Vol. 9 (supplement), 1968, p 291-295.
- Brookes, M. E. and Smith, R. W., "The Effect of Solute Interchange on the Martensitic Transformation Occurring in the 50 At.% Au-Cd Alloy," <u>Metal Science Journal</u>, 2, (1968), 181-183.
- Buehler, W. J. and Wang, F. E.: A Summary of Recent Research on the Nitinol Alloys and Their Potential Application in Ocean Engineering, Ocean Engineering, Vol. 1, 1968, p. 105-120.
- Carter, F. L., A Mechanism for the High Temperature
 Transformation in TiNi and the Resultant Pre-martensitic
 TiNi(II), Symposium on TiNi and Associated Compounds, NOLTR
 68-16, U. S. Naval Ordnance Laboratory, Feb 20, 1968.
- Cuthill, J. R.; McAlister, A. J.; Williams, M. L., Soft X-ray Spectroscopy of Alloys: TiNi and the Ni-Al System Symposium on TiNi and Associated Compounds, NOLTR 68-16, U. S. Naval Ordnance Laboratory, Feb 20, 1968.
- 68C3 Chandra, K. and Purdy, G. R.: Observations of Thin Crystals of TiNi in Premartensitic States, J. Appl. Phys., Vol. 39, 1968, p. 2176-2181.
- DeLange, R. G. and Zijderveld, J. A.: Shape-Memory Effect and the Martensitic Transformation of TiNi, J. Appl. Phys., Vol. 39, 1968, p. 2195-2200.
- Drennen, D. C.; Jackson, C. M. and Wagner, H. J.:
 Metallurgical Services in Connection With Nitinol Wire, Summary
 Rept., Contract NAS 1-7522, Battelle Memorial Institute,
 June 14, 1968.
- Drennan, D. C.; Jackson, C. M. and Wagner, H. J.: The Development of Melting and Casting Procedures for Nitinol Nickel-Base Alloys, Rept. SC-CR-69-3070*, Contract 16-7540, Battelle Memorial Institute, Dec 1968.
- Of the Melting, Casting and Mechanical Working of Nitinol Nickel-Base Alloys, Battelle Memorial Institute, 1968.

- 68Gl Goff, J. F.: Dependence of the Transport Properties of Transition Metal Alloys and Compounds on the Electron Number, Symposium on TiNi and Associated Compounds, NOLTR 68-16, U.S. Naval Ordnance Laboratory, Feb 20, 1968, p 9-1 9-7.
- 68G2 Goodenough J. B., Like-Atom Cluster Formation and Elastic Memory in TiNi, Conference on Metal-Nonmetal Transition San Franciso, Mar 1968.
- Hasiguti, R. R. and Iwasaki, K.: Internal Friction and Related Properties of TiNi Intermetallic Compound, Symposium on TiNi and Associated Compounds, NOLTR 68-16, U.S. Naval Ordnance Laboratory, Feb 20, 1968, p 4-1 4-12. Also JAP Vol. 39, No. 5, 1968, p. 2182-2185.
- Hasiguti, R. R. and Iwasaki, K.: Correlations Between Plastic Deformation and Phase Change in the Compound TiNi with Special Reference to Internal Friction, Proceedings of the International Conference on the Strength of Metals and Alloys, transactions of the Japan Institute of Metals (supplement), Vol. 9, 1968, p. 288-291.
- Iannucci, A.; Johnson, A. A.; Hughes, E. J.; Barton, P. W.,

 An Experimental Study of the Compound TiCo Using High

 Temperature X-Ray Diffractometry, Symposium on TiNi and

 Associated Compounds, NOLTR 68-16, U. S. Naval Ordnance

 Laboratory, Feb 20, 1968.
- Marcinkowski, M. J.; Sastri, A. S. and Koskimaki, K.:
 Martensitic Behaviour in the Equi-Atomic NiTi Alloy, Phil.
 Mag., Vol. 18, 1968, p. 945-958.
- Mukherjee, A. K., <u>High Temperature Creep Mechanism of TiNi</u>
 Symposium on TiNi and Associated Compounds, NOLTR 68-16,
 U. S. Naval Ordnance Laboratory, Feb 20, 1968.
- Okamoto, H.; Beck, P. A., Long Range Order in TiFe, Symposium on TiNi and Associated Compounds, NOLTR 68-16, U. S. Naval Ordnance Laboratory, Feb 20, 1968.
- Otsuka, K., and Shimizu, K.: Precipitation Process in Ti-50Ni, Paper presented at the 62nd Annual Meeting of the Japan Institute of Metals, 1968.
- 68Pl Pfeifer, H-U.; Bhan, S. and Schubert, K: Zum Aufbau Des Systems Ti-Ni-Cu Und Einiger Quasihomologer Legierungen, J. Less Common Metals, Vol. 14, 1968, p. 291-302.
- Pickart, S. J.; Nathans, R.; Menzinger, F., Neutron Diffraction Study of the TiFe Co. Alloys, Symposium on TiNi and Associated Compounds, NOLTR 68-16, U. S. Naval Ordnance Laboratory, Feb 20, 1968.

- Rothwarf, F.; Auerbach, A. and Ford, D. R.: Feasibility of Using Memory Metal Effects for Fuze Applications: A. The Use of Martensite Materials in the Design of Thermally Activated Springs, Memorandum Rept. M68-38-1, Department of the Army, Frankford Arsenal, AD 713578*, Nov 1968.
- 68S1 Sastri, A. S. and Marcinkowski, M. J.: Deformation Behavior in the Near-Equiatomic NiTi Alloys, Transactions of the Metallurgical Society of AIME, Vol. 242, 1968, p. 2393-2398.
- 68S2 Sastri, A. S.; Marcinkowski, M. J. and Koskimaki, D.: Nature of the NiTi Martensite Transformation, Physica Status Solidi, Vol. 25, 1968, p. K67-K69.
- 68S3 Scholl, R.; Larson, D. J., Jr. and Freise, E. J.: A Study of the Relative Ductilities of TiFe, TiCo and TiNi Symposium on TiNi and Associated Compounds, NOLTR 68-16, U.S. Naval Ordnance Laboratory, Feb. 20, 1968, p 18-1 18-14.
- 68S4 Schuerch, H. U.: Certain Physical Properties and Applications of Nitinol, NASA CR-1232, Nov 1968, NTIS N 69-11420*.
- Swartzendruber, L. J.; Bennet, L. H.; Line Profiles in the Nuclear Magnetic Resonance and Mossbauer Effect of TiFe, Co Alloys, Symposium on TiNi and Associated Compounds, NOLTR & 68-16, U. S. Naval Ordnance Laboratory, Feb 20, 1968.
- Wreeland, D. C., Anodic Sea Water Corrosion of Composite Metallic Materials for Mechanical Shaft Seals, Naval Research and Development Center, Annapolis, MD., AD 828192L*, Feb 1968.
- Wang, F. E.; Ernst, D. W., Equiatomic Binary Compounds of Hf with Transition Elements Os, Ir, and Pt; Further Comments on the TiNi Transition, Symposium on TiNi and Associated Compounds, NOLTR 68-16, U. S. Naval Ordnance Laboratory, Feb 20, 1968.
- Wang, F. E.; DeSavage, B. F.; Buehler, W. J. and Hosler, W. R.: The Irreversible Critical Range in the TiNi Transition, Symposium on TiNi and Associated Compounds, NOLTR 68-16, U.S. Naval Ordnance Laboratory, Feb 20, 1968, p. 8-1 - 8-24, J. Appl. Phys., Vol. 39, 1968, p. 2166-2175.
- West, G. W., <u>Nuclear Magnetic Resonance and Susceptibility Measurements in TiCo</u>, Symposium on TiNi and Associated Compounds, NOLTR 68-16, U. S. Naval Ordnance Laboratory, Feb 20, 1968.

- 67Al Allgaier, R. S.: Analysis of the Hall Coefficient Behavior in TiFe, TiCo, TiNi, and Their Alloys, Symposium on TiNi and Associated Compounds, NOLTR 68-16, U.S. Naval Ordnance Laboratory, Feb 20, 1968, p 121-126, J. Phys. Chem. Solids 28, (1967).
- Anon.: 55 Nitinol Alloys, U.S. Naval Ordnance Laboratory, Apr 1967.
- 67Bl Berman, H. A.; West, E. F. and Rozner, A. G.: Anomolous Heat Capacity of TiNi, J. Appl. Phys., Vol. 38, No. 11, 1967, 4473-4476.
- DeSavage, B. F., Magnetic Properties of the Pseudobinary System TiFe, Co_{1-s}, J. Appl. Phys. <u>38</u>, 1337, (1967).
- 67Hl Hanlon, J. E,; Butler, S. R. and Wasilewski, R. J.: Effect of Martensitic Transformation on the Electrical and Magnetic Properties of NiTi, Transactions of the Metallurgical Society of AIME, Vol. 239, 1967, p. 1323-1327.
- 67Rl Rozner, A. G.; Tydings, J. E., Effect of Hydrostatic Extrusion on the Mechanical Properties of CuZn and TiNi, Journal of Inst. of Metals, Vol. 95, p. 254-5, 1967.
- 67Sl Starke, E. A. and Lee, E. U.: Observations of "Side-Bands" on X-ray Patterns of the Intermetallic Compound TiNi, Materials Res. Bull., Vol. 2, 1967, p. 231-239.
- 67Wl Wang, F. E., Symposium on TiNi and Associated Compounds, Editor, NOLTR 68-16, April 1967.
- 67W2 Wasilewski, R. J.; Butler, S. R. and Hanlon, J. E.: On the Martensitic Transformation in TiNi, Metal Sci. J., Vol. 1, 1967, p. 104-110.

- 66Bl Bard, D., Cavitation Erosion Resistance of Nitinol (60% Ni 40% Ti), Naval Applied Science Lab., AD 864526 L*, Oct 6, 1966.
- Buehler, W. J. and Wang, F. E.: Study of Transition Element Intermetallic Compounds, Paper presented at the Ninth Navy Science Symposium (Washington, D.C.), 1966.
- 66Dl Dautovich, D. P.; Melkvi, Z.; Purdy, G. R. and Stager, C. V.: Calorimetric Study of a Diffusionless Phase Transformation in TiNi, J. Appl. Phys., Vol. 37, 1966, p. 2513-2514.
- Rozner, A. G. and Buehler, W. J.: Effect of Cold Work on Room Temperature Tensile Properties of TiNi Intermetallic Compound, Transactions of ASM, Vol. 59, 1966, p. 350-352.
- 66R2 Rozner, A. G. and Buehler, W. J.: Low Temperature Deformation of the TiNi Intermatallic Compound, Rept. NOLTR 66-38, U.S. Naval Ordnance Laboratory, Mar. 1, 1966.
- Rozner, A. G. and Spinner, S.: Some Consideration of the Elastic Properties of TiNi in the Vicinity of Transformation Temperature, Symposium on TiNi and Associated Compounds, NOLTR 68-16, U.S. Naval Ordnance Laboratory, Feb 20, 1968, p. 6-1 6-19, J. Acous. Soc. Amer. 40, 1009 (1966).
- Rozner, A. G. and Wasilewski, R. J.: Tensile Properties of NiAl and NiTi, J. Inst. Metals, Vol. 94, 1966, p 169-179.
- 66Sl Spinner, S. and Rozner, A. G.: Elastic Properties of NiTi As a Function of Temperature, J. Acoust. Soc. Am., Vol. 40, No. 5, 1966, p.1009-1015.
- 6621 Zijderveld, J. A.; deLange, R. G. and Verbraak, C. A.:
 La Transformation Martensitique des Alliages Titane-Nickel
 Au Voisinage de La Composition Equiatomique, Memoires
 Scientifiques Revue de Metallurgie, Vol. 63, 1966, p. 885-888.

- Bradely, D.: Sound Propagation in Near-Stoichiometric TiNi Alloys, J. Acoust. Soc. Am., Vol. 37, No. 4, 1965, p. 700-702.
- Buehler, W. J. and Wang, F. E.: Martensitic Transformations in the TiNi Compound, Reactivity in Solids, Proceedings of the 5th International Symposium (Munich), 1964, Elsevier Publishing Company (Amsterdam), 1965, p. 79-89.
- Dautovich, D. P. and Purdy, G. R.: Phase Transformations in TiNi, Canadian Metallurgical Quarterly, Vol. 4, 1965, p. 129-143.
- 65Gl Goldstein, D. M.; Buehler, W. J. and Wiley, R. C.: Effects of Alloying Upon Certain Properties of 55.1 Nitinol, Rept. NOLTR 64-235, U.S. Naval Ordnance Laboratory, May 28, 1965, AD 618681*.
- 65Rl Rozner, A. G.; Heintzelman, E. F.; Buehler, W. J. and Gilfrich, J. V.: Effect of Addition of Oxygen, Nitrogen and Hydrogen on Microstructure and Hardness of Cast TiNi Intermetallic Compound, Transactions of ASM, Vol. 58, 1965, p. 415-418.
- 65Wl Wang, F. E.; Buehler, W. T. and Pickart, S. J.: Crystal Structure and a Unique "Martensitic" Transition of TiNi, J. Appl. Phys., Vol. 36, 1965, p. 3232-3239.
- 65W2 Wang, F. E.: The Mechanical Properties as a Function of Temperature and Free Electron Concentration in Stoichiometric TiNi, TiCo and TiFe Alloys, Proceedings of the International Conference on Fracture (Sendai, Japan), 1965, p. 899-908.
- Wasilewski, R. J.: Elastic-Modulus Anomaly in TiNi, Transactions of AIME, Vol. 233, 1965, p 1691-1693.

- Anon.: Nickel-Titanium Alloys, Strong Ductile Alloys Based on Nickel-Titanium Intermetallic Compounds for Non-magnetic Tools and Other Applications needing Wear and Corrosion Resistance, (1960-1964), National Bureau of Standards, Washington, D.C., Inst. for Applied USGRDR4002, OTR-102, Oct 64.
- Buehler, W. J., et al, NiTi System, Solid State Research, NOLTR 64-30, p. 31-34, 17 Feb 1964.
- Buehler, W. J., et al, The Thermal Conductivity, Thermoelectric Power and the Electrical Resistivity of TiNi (NITINOL) Between 3 and 300 K, Solid State Research, NOLTR 64-30, p. 35-36, 17 Feb 1964.
- Goff, J. F.: Thermal Conductivity, Thermoelectric Power, and the Electrical Resistivity of Stoichiometric TiNi in the 3 to 300 K Temperature Range, J. Appl. Phys., Vol. 35, 1964, p. 2929-2927.
- '64Wl Wang, F. E.; Syeles, A. M.; Clark, W. L. and Buehler, W. J.: Growth of TiNi Single Crystals by a Modified "Strain-Anneal" Technique, J. Appl. Phys., Vol. 35, 1964, p. 3620.

- Buehler, W. J.: "Intermetallic Compound Based Materials for Structural Applications," Proceedings of the Seventh Navy Science Symposium, Rept. ONR-16, Vol. 1, (AD 421708), 1963, p. 1-30.
- Buehler, W. J.; Gilfrich, J. V. and Wiley, R. C.: Effect of Low-Temperature Phase Changes on the Mechanical Properties of Alloys Near Composition of TiNi, J. Appl. Phys., Vol. 34, 1963, p. 1475-1477.
- Gilfrich, J. V.: X-ray Diffraction Studies on the Titanium-Nickel System, Vol. 6: Advances in X-ray Analysis, Proceedings of the Eleventh Annual Conference on Application of X-ray Analysis, Plenum Press (New York), 1963, p. 74-84.
- Gould, J. V.: Machinability of Nickel-Titanium Alloys, Contract N60921-6814 (AD 419009), Metcut Research Associates, Inc., June 24, 1963.
- 63Ml Mueller, M. H. and Knott, H. W.: "The Crystal Structures of Ti₂Cu, Ti₂Ni, Ti₄Ni₂O, and Ti₄Cu₂O, Transactions of the Metallurgical Society of AIME, Vol. 227, 1963, p 674-678.

1962 and Earlier

- Buehler, W. J. and Wiley, R. C.: TiNi Ductile Intermetallic Compound, Transactions of ASM, Vol. 55, 1962, p. 269-276.
- Buehler, W. J. and Wiley, R. C.: The Properties of TiNi and Associated Phases, Rept. NOLTR 61-75, AD 266607*, U.S. Naval Ordnance Laboratory, Aug. 3, 1961.
- Purdy, G. R. and Parr, J. G.: Study of Titanium-Nickel System Between Ti₂Ni and TiNi, Transactions of AIME, Vol. 221, 1961, p. 636-639.
- 60Nl Nevitt, M. V., Magentization of the Compound TiFe, Journal of Applied Physics, Vol. 31, No. 1, Jan 1960.
- 60Pl Pietrokowsky, P. and Youngkin, F. G.: Ordering in the Intermediate Phases TiFe, TiCo, and TiNi, J. Appl. Phys. Vol. 31, 1960, p. 1763-1766.
- 60Sl Stuwe, H. P. and Shimomura, Y.: Gitterkonstanten der Kubisch Raumzentrierten Phasen FeTi, CoTi, NiTi, Zeitschrift fur Metallkunde, Vol. 51, 1960, p. 180-181.
- Teatum, E., Gschneidner, K. and Waker, J., Compilation of Calculated Data Useful in Predicting Metallurgical Behavior of the Elements in Binary Alloy Systems, Los Alamos Scientific Laboratory, LA-2345, (1959), 22-25.
- Hansen, M., Constitution of Binary Alloys, McGraw-Hill, New York, (1958), 1049-1053.
- Kubaschewski, O.: The Heats of Formation in the System Aluminum + Nickel + Titanium, Transactions of the Faraday Society, Vol. 54, 1958, p. 814-820.
- Poole, D. M. and Hume-Rothery, W., The Equilibrium Diagram of the System Nickel-Titanium, J. Inst. Metals, Vol. 83, 1954, p. 473-480.
- 53Ml Margolin, H.; Ence, E. and Nielsen, J. P.: Titanium-Nickel Phase Diagram, Transactions of AIME, Vol. 197 1953, p. 243-247.
- Taylor, A. and Floyd, R. W.: The Constitution of Nickel-Rich Alloys of the Nickel-Chromium-Titanium System, J. Inst. Metals, Vol. 80, 1952, p. 577-587.

1962 and Earlier (Cont.)

- Duwez, P. and Taylor, J. L.: Structure of Intermediate Phases in Alloys of Titanium With Iron, Cobalt, and Nickel, Transactions of AIME, Vol. 188, 1950, p. 1173-1176.
- 39Ll Laves, F. and Wallbaum, H. J.: The Crystal Structure of Ni₃Ti and Ni₂Ti, Zeitschrift fur Kristallographie, Vol. Al01, 1939, p. 78-93.

3. INTERNAL REPORTS

The following reports are for internal distribution only. They are presented only to make known that some technical information has been developed on titled subject.

Wiley, R. C.; Sutton, C. E., Stresses Associated with Structural Transformations in 55.4 NITINOL, Jan 24, 1964.

Wiley, R. C., A Study of Brazing Techniques for Joining an Alpha + Beta Titanium Alloy to 60 NITINOL, Aug 30, 1967.

Buehler, W. J.; Heintzelman, E. F.; Jones, R. E.; Sutton, C. E., Oxidation Mechanism of 60-NITINOL and Its Associated Effects, April 14, 1967.

Buehler, W. J.; Jones, R. E., Strenthening TiNi Co₁-x₁ Ternary Alloys Through Cryogenic Deformation, Oct 4, 1966.

Goldstein, D. M.; Buehler, W. J., Improved Oxidation Resistance of NITINOL, Feb 3, 1966.

Buehler, W. J.; Jones, R. E.; Sutton, C. E.; Heintzelman, E. F.; Lundsten, R. H., Cast 60-Nitinol EOD Tools, May 3, 1972.

Memo Sutton, C. E.; Buehler, W. J., Mechanical Hysteresis Associated with Diffusionless Transitions in the Near-Stoichiometric TiNi Alloys, Feb 15, 1965.

Memo Sutton, C. E.; Buehler, W. J., Drawing of NITINOL Wire, Jan 21, 1965.

Letter Gano, J. H., Test Results on Project TE-4 NITINOL Knife, July 16, 1964.

4. PATENTS

Copies of patents may be obtained from the

U.S. Patent Office U.S. Dept. of Commerce Box 9 Washington D.C. 20231

The cost of patents is 50 cents each. Patents which are Navy owned (including the basic patent on NITINOL) may be licensed. The

following statement from the Navy Office of Patent Counsel details licensing procedures.

LICENSES UNDER NAVY PATENTS AND PATENT APPLICATIONS

The Department of the Navy has instituted a program to license for commercial purposes patents and patent applications owned by the United States Government and in the custody of the Navy. This program is necessary because making, using or selling an invention covered by a Navy patent without express permission by the Government constitutes an unauthorized use. The Department of the Navy is presently implementing the Presidential Statement of Government Patent Policy of August 23, 1971.

A major premise of the Presidential Statement of Government Patent Policy, August 23, 1971 (36 FR 16887, August 26, 1971), is that Government inventions normally will best serve the public interest when they are developed to the point of practical application and made available to the public in the shortest possible time. The granting of express nonexclusive or exclusive licenses for the practice of these inventions may assist in the accomplishment of the national objective to achieve a dynamic and efficient economy.

The granting of nonexclusive licenses generally is preferable since the invention is thereby laid open to all interested parties and serves to promote competition in industry, if the invention is in fact promoted commercially. However, to obtain commercial utilization of the invention, it may be necessary to grant an exclusive license for a limited period of time as an incentive for the investment of risk capital to achieve practical application of an invention.

Whenever the grant of an exclusive license is deemed appropriate, it shall be negotiated on terms and conditions most favorable to the public interest. In selecting an exclusive licensee, consideration shall be given to the capabilities of the prospective licensee to further the technical and market development of the invention, his plan to undertake the development, the projected impact on competition, and the benefit to the Government and the public. Consideration shall be given also to assisting small business and minority business enterprises, as well as economically depressed, low income, and labor surplus areas, and whether each or any applicant is a U.S. citizen or corporation. Where there is more than one applicant for an exclusive license, that applicant shall be selected who is determined to be most capable of satisfying the criteria and achieving these goals.

The Chief of Naval Research (Code 302), Arlington, Virginia 22217, is now accepting applications for nonexclusive and exclusive

licenses under designated patents and patent applications belonging to the U.S. Government and in the custody of the Department of the Navy.

All licenses will be individually negotiated with responsible applicants. The usual nonexclusive license will be revocable, non-transferable and royalty-free. The time period or term, the geographical area and/or field of use of the invention and other terms and conditions of the license are matters which will be considered in each case.

An applicant for a license should identify the patent or patent application number(s), state whether he is applying for a nonexclusive or an exclusive license, supply the name and address of the individual, organization or corporation (including the state of incorporation) applying for the license, provide a statement of the nature and type of the applicant's business and a statement of the purpose for which a license is desired along with a brief description of the applicant's plan to achieve that purpose including some indication of how the grant of a license would be in the public interest. Any other pertinent information should be included.

An applicant for an exclusive license should, in addition to the information set forth in the above paragraph, indicate whether or not he is a United States citizen, identify any other exclusive licenses he has ever had under patents or patent applications belonging to the U. S. Government, state to the best of his knowledge the extent to which the Government invention is being practiced by private industry, provide a statement of his capability to undertake the development and marketing required to achieve the practical application of the invention in a specified geographical area and field of use, provide a statement describing the time expenditure and other acts which he considers necessary to achieve practical application of the invention and include his offer to invest that sum to perform such acts if the license is granted. It would be beneficial for him to state why it will be in the public interest for him to have an exclusive license rather than a nonexclusive license.

An exclusive license may be granted after publication of the invention for nonexclusive licensing and after publication of the name of the selected applicant for a particular exclusive license if there is no responsible applicant for a nonexclusive license.

Exclusive licenses shall be subjected to several reservations of rights, as for example, an irrevocable royalty-free reservation throughout the world of rights in the invention to the United States Government. Exclusive licenses will contain a provision for royalty payments and/or other consideration flowing to the U. S. Government and in certain instances the granting of sublicenses to responsible applicants may be required of the exclusive licensee. Exclusive licenses will contain all terms and conditions which are required by law and by U. S. Government regulations and some additional provisions.

The information for applicants to submit in connection with requesting a license and the license provisions set forth in this paper are only intended to be illustrative and suggestive of the type of information needed and the possible kinds of provisions which may appear in a license. They are not intended to be limiting in content, meaning or words.

Patents

Patent No. 3,174,851
"Nickel-Base Alloys"
W. Buehler and R. Wiley, Assignors to U.S.A.
Filed 1 Dec 1961
Issued 28 Mar 1965
3 Claims (C1. 75-170)

Patent No. 3,285,470
"Thermally Actuated Devices"
E. H. Frei, S. Leibinzohn and Shtrikman
15 Nov 1966

Patent No. 3,351,463
"High Strength Nickel-Base Alloys"
A. G. Rozner and W. J. Buehler, Assignors to U.S.A. Filed 28 Aug 1965
Issued 7 Nov 1967
10 Claims (Cl. 75-170)

Patent No. 3,352,650
"Metallic Composites"
D. M. Goldstein, W. J. Buehler and R. C. Wiley, Assignors to U.S.A. Filed 19 Jul 1965
Issued 14 Nov 1967
12 Claims (Cl. 29-191)

Patent No. 3,352,722
"Method of Growing Single Crystals"
F. E. Wang, A. M. Syeles, W. L. Clark and W. J. Buehler,
Assignors to U.S.A.
Filed 27 Jul 1965
Issued 14 Nov 1967
8 Claims (Cl. 148-1.6)

Patent No. 3,391,882
"Erectable Structure for a Space Environment"
J. F. Johnson, D. Reiser and G. S. Ovrevik
9 Jul 1968
14 Claims (Cl. 244-1)

Patent No. 3,403,238
"Conversion of Heat Energy To Mechanical Energy"
W. J. Buehler and D. M. Goldstein, Assignors to U.S.A.
Filed 5 Apr 1966
Issued 24 Sep 1968
10 Claims (Cl. 337-393)

Patent No. 3,416,342 "Method for Treating Working and Bonding Refractory Metals and Alloys" D. M. Goldstein, W. J. Buehler and R. C. Wiley, Assignors to U.S.A. Filed 22 Nov 1965 Issued 17 Dec 1968 9 Claims (Cl. 72-47) Patent No. 3,440,997 "Temperature Indicating Device" N. E. Rogen and R. J. Hill, Assignors to Avco Corp. Filed 11 Jul 1966 Issued 29 Apr 1969 12 Claims (Cl. 116-114.5) Patent No. 3,450,372 "Self-Projectable Element for a Space Vehicle" R. G. de Lange, C. A. Verbraak and J. A. Zijderveld, Assignors to Nederlandse Organisatie voor Toegepast-Natuurwetenschappelijk Onderzoek ten behoeve van Nijverheid, Corp. of the Netherlands Filed 4 Feb 1966 Issued 17 Jun 1969 3 Claims (Cl. 244-1) Patent No. 3,483,360 "Thermostatic Switching Device and Overheat Control System Incorporating Same" C. C. Perry, Assignor to W. M. Chase Co. Filed 11 Jul 1967 Issued 9 Dec 1969 2 Claims (Cl. 219-512) Patent No. 3,483,748 "Temperature Sensing" N. E. Rogen and R. J. Hill, Assignors to Avco Corp. Filed 5 May 1967 Issued 16 Dec 1969 20 Claims (Cl. 73-339) Patent No. 3,483,752 "Temperature Monitor" N. E. Rogen and R. J. Hill, Assignors to Avco Corp. Filed 10 Feb 1967 Issued 16 Dec 1969 5 Claims (Cl. 73-362.8) Patent No. 3,487,345 "Electronic Temperature Regulation System Using Solid State Devices and Point Contact Sensors" D. L. Watrous and J. D. Harnden, Assignors to General Electric Co. Filed 2 May 1967 Issued 30 Dec 1969 3 Claims (Cl. 335-146)

Patent No. 3,508,914
"Methods of Forming and Purifying Nickel-Titanium Containing Alloys"
W. J. Buehler, Assignor to U.S.A.
Filed 7 Oct 1965
Issued 28 Apr 1970
8 Claims (Cl. 75-135)

Patent No. 3,513,429
"Heat Recoverable Actuator"
W. R. Helsop, Assignor to Raychem Corp.
Filed 30 Oct 1968
Issued 19 May 1970
22 Claims (C1. 337-382)

Patent No. 3,516,082
"Temperature Sensing Devices"
R. G. Cooper
Filed 9 Jun 1967
Issued 2 Jun 1970
6 Claims (Cl. 340-227.1)

Patent No. 3,529,958
"Method for the Formation of an Alloy Composed of Metals Reactive in Their Elemental Form with a Melting Container"
W. J. Buehler, Assignor to U.S.A.
Filed 4 Nov 1966
Issued 22 Sep 1970
19 Claims (Cl. 75-135)

Patent No. 3,558,369
"Method of Treating Variable Transition Temperature Alloys"
F. E. Wang and W. J. Buehler, Assignors to the U.S.A.
Filed 12 Jun 1969
Issued 26 Jan 1971
2 Claims (Cl. 148-11.5)

Patent No. 3,582,856
"Temperature Sensing Relay"
D. L. Watrous and J. D. Harnden, Assignors to General Electric Co. Filed 18 Jun 1969
Issued 1 Jun 1971
2 Claims (Cl. 337-382)

Patent No. 3,594,239
"Method of Treating Unique Martensitic Alloys"
F. E. Wang, Assignor to U.S.A.
Filed 26 Feb 1968
Issued 20 Jul 1971
6 Claims (Cl. 148-13)

Patent No. 3,594,674
"Temperature-Responsive Control Devices Adjustably Responsive to Various Operating Temperatures"
J. R. Willson, Assignor to Robertshaw Controls Co. Filed 13 Aug 1969
Issued 20 Jul 1971
25 Claims (Cl. 337-139)

Patent No. 3,594,675
"Temperature-Sensing Probe"
J. R. Willson, Assignor to the Robertshaw Controls Co.
Filed 28 May 1969
Issued 20 Jul 1971
9 Claims (Cl. 337-140)

Patent No. 3,613,732
"Temperature-Responsive Valve Operators"
J. R. Willson, K. T. Krueger, H. J. Tyler and W. F. Jackson,
Assignors to Robertshaw Controls Co.
Filed 17 Jul 1969
Issued 19 Oct 1971
62 Claims (Cl. 137-625.44)

Patent No. 3,620,212
"Intrauterine Contraceptive Device"
R. D. Fannon, B. R. Lower and L. E. Laufe, Assignors to L. E. Laufe
File 15 Jun 1970
Issued 16 Nov 1971
8 Claims (Cl. 128-130)

Patent No. 3,634,803
"Temperature-Responsive Switch Assemblies"
J. R. Willson, K. T. Kreuger, H. J. Taylor and W. F. Jackson,
Assignors to Robertshaw Controls Co.
Filed 22 Jul 1969
Issued 11 Jan 1972
28 Claims (C1. 337-123)

Patent No. 3,645,443
"Automobile Thermostat"
J. R. Willson and K. T. Krueger, Assignors to Robertshaw Controls Co.
Filed 19 Dec 1969
Issued 29 Feb 1972
9 Claims (Cl. 236-34)

Patent No. 3,652,969
"Method and Apparatus for Stabilizing and Employing Temperature Sensitive Materials Exhibiting Martensitic Transitions"

J. R. Willson and D. W. Carey, Assignors to Robertshaw Controls Co. Filed 27 May 1969

Issued 28 Mar 1972
10 Claims (Cl. 337-140)

Patent No. 3,660,082
"Corrosion and Wear Resistant Nickel Alloy"
A. Negishi, K. Takayanagi and M. Ikeda, Assignors to the Furukawa Electric Co., Ltd, Tokyo, Japan
Filed 27 Dec 1968
Issued 2 May 1972
16 Claims (Cl. 75-134)

Patent No. 3,664,582
"Non-Linear Temperature Responsive Valve Assemblies"
W. F. Jackson and J. R. Willson, Assignors to Robertshaw Controls Co. Filed 29 Oct 1969
Issued 23 May 1972
20 Claims (Cl. 236-93)

Patent No. 3,672,879
"TiNi Cast Product"
W. J. Buehler
Filed 4 Nov 1966
Issued 27 Jun 1972
1 Claim (Cl. 75-170)

***** ₹

Patent No. 3,676,815
"Thermally Sensitive Controls for Electric Circuits"
G. A. DuRocher, Assignor to Essex International, Inc.
Filed 28 Jul 1969
Issued 11 Jul 1972
17 Claims (Cl. 337-140)

Patent No. 3,679,394
"Method for Casting High Titanium Content Alloys"
W. J. Buehler, Assignor to the U.S.A.
Filed 24 Nov 1969
Issued 25 Jul 1972
8 Claims (Cl. 75-10)

Patent No. 3,684,994
"Hot Wire Relay Type Devices and Methods of Maintaining or Producing Such Devices"
H. J. Tyler, Assignor to Robertshaw Controls Co.
Filed 2 Jul 1969
Issued 15 Aug 1972
10 Claims (Cl. 337-140)

Patent No. 3,691,499
"Actuating Device Employing A Heat Expansible Wire"
H. J. Taylor, Assignor to Robertshaw Controls Co.
Filed 10 Sep 1971
Issued 12 Sep 1972
3 Claims (Cl. 337-123)

Patent No. 3,700,434
"Titanium-Nickel Alloy Manufacturing Methods"
S. Abkowitz, J. M. Siergiej and R. R. Regan, Assignors to S. Abkowitz
Filed 21 Apr 1969
Issued 24 Oct 1972
7 Claims (Cl. 75-170)

Patent No. 3,703,693
"Liquid Level Sensing System"
R. N. Levinn, Assignor to American Thermostat Corp.
Filed 1 Apr 1971
Issued 21 Nov 1972
3 Claims (C1. 337-140)

Patent No. 3,707,694
"Thermally Sensitive Circuit Control Apparatus"
G. A. DuRocher, Assignor to Essex International Inc.
Filed 9 Mar 1970
Issued 26 Dec 1972
17 Claims (Cl. 337-139)

Patent No. 3,725,835
"Memory Material Actuator Devices"
J. B. Hopkins and W. Rindner
Filed 20 Jul 1970
Issued 3 Apr 1973
13 Claims (Cl. 337-140)

Patent No. 3,731,247
"High Temperature Sensing Apparatus Effective Over Extensive Lengths"
R. N. Levinn, Assignor to American Thermostat Corp.
Filed 8 Jan 1971
Issued 1 May 1973
9 Claims (Cl. 337-140)

Patent No. 3,734,348
"Method of Expelling Liquid Propellant from a Storage Tank in a Liquid Rocket
H. M. White, Assignor to the U.S.A.
Filed 23 Sep 1971
Issued 22 May 1973
2 Claim (Cl. 222-1)

Patent No. 3,740,839
"Cryogenic Connection Method and Means"
R. F. Otte and C. L. Fischer, Assignors to Raychem Corp.
Filed 29 Jun 1971
Issued 26 Jun 1973
16 Claims (Cl. 29-628)

Patent No. 3,748,197 "Method for Stabilizing and Employing Temperature Sensitive Material Exhibiting Martensitic Transitions" J. R. Willson and D. W. Carey, Assignors to Robertshaw Controls Co. Filed 14 Sep 1971 Issued 24 Jul 1973 7 Claims (Cl. 148-131) Patent No. 3,753,700 "Heat Recoverable Alloy" J. D. Harrison, J. Y. Choi and P. R. Marchant, Assignors to Raychem Corp. Filed 2 Jul 1970 Issued 21 Aug 1973 2 Claims (Cl. 75-134) Patent No. 3,753,792 "Method of Achieving Thermally Balanced Hot Wire Relay Type Devices" H. J. Tyler, Assignor to Robertshaw Controls Company Filed 9 Dec 1971 Issued 21 Aug 1973 10 Claims (Cl. 148-13) Patent No. 3,759,552 "Hydraulic Coupling with Metallic Sealing Member" R. Levinsohn and J. E. Jervis, Assignors to Raychem Corp. Filed 8 Sep 1970 **Issued 18 Sep 1973** 13 Claims (Cl. 285-175) Patent No. 3,783,429 "Temperature Actuated Connector" R. F. Otte, Assignor to Raychem Corp. Filed 21 Jun 1972 Issued 1 Jan 1974 12 claims (Cl. 337-393) Patent No. 3,802,930 "Alloy" G. B. Brook and R. F. Iles, Assignors to Fulmer Research Institute Limited Filed 30 Apr 1970 Issued 9 Apr 1974 9 Claims (Cl. 148-11.5) Patent No. 3,827,426 "Prosthetic Pump" Mark Page and Phillip N. Sawyer Filed 16 Jul 1971 Issued 6 Aug 1974 11 Claims (C1. 128-1D)

Patent No. 3,839,903
"Method for Determining the Matrix Composition of a TiNi Base Alloy"
W. J. Buehler
Filed 1 May 1972
Issued 8 Oct 1974
8 Claims (Cl. 73-67.1)

Patent No. 3,849,756
"Nitinol Activated Switch Usable as a Slow Acting Relay"
C. D. Hickling, Assignor to American Thermostat Corp.
Filed 14 Jun 1973
Issued 19 Nov 1973
10 Claims (C1. 337-382)

Patent No. 3,861,030
"Article and Method for Locating Contacts"
R. F. Otte, Assignor to Raychem Corp.
Filed 4 Apr 1975
Issued 21 Jan 1975
13 Claims (C1. 29-626)

Patent No. 3,872,415
"Relay"

D. E. Clarke, Assignor to Texas Instruments Inc.
Filed 16 Apr 1973
Issued 18 Mar 1975
7 Claims (Cl. 337-140)

Patent No. 3,872,573
"Process and Apparatus for Making Heat Recoverable Composite Couplings"
P. E. Nichols and C. L. Martin, Assignors to Raychem Corp. Filed 19 Dec 1973
Issued 25 Mar 1975
17 Claims (Cl. 29-447)

Patent No. 3,883,885
"High-speed Shutter"
C. Orlando
Filed 4 Dec 1973
Issued 13 May 1975
5 Claims (Cl. 354-258)

Patent No. 3,893,055
"High Gain Relays and Systems"
E. M. Jost, L. E. McBride, and T. J. Santala, Assignors to Texas Instruments Inc.
Filed 16 Apr 1973
Issued 1 Jul 1975
15 Claims (C1. 337-140)

Patent No. 3,900,939
"Method of Plugging Steam Generator Tubes"
J. S. Greacen, Assignor to Combustion Engineering, Inc.
Filed 31 Oct 1973
Issued 26 Aug 1975
5 Claims (Cl. 29-401)

Patent No. 3,905,228
"Mechanical Heat Flux Recorder"
W. K. Smith
16 Sep 1975

Patent No. 3,906,422
"Resettable Fuse"
R. M. Healy
Filed 16 Sep 1974
Issued 16 Sep 1975
15 Claims (Cl. 337-141)

Patent No. 3,913,326
"Energy Conversion System"
R. M. Banks, Assignor to the U.S.A.
Filed 11 Apr 1974
Issued 21 Oct 1975
9 Claims (Cl. 60-527)

Patent No. 3,913,444
"Thermally Deformable Fastening"
R. F. Otte, Assignor to Raychem Corp.
Filed 8 Nov 1972
Issued 21 Oct 1975
10 Claims (Cl. 85-8.3)

Patent No. 3,922,591
"Heated Wire Servo Motor Control System"
E. O. Olsen, Assignor to Foxboro Co.
Filed 4 Dec 1973
Issued 25 Nov 1975
43 Claims (Cl. 318-676)

Patent No. 3,930,629 (N. C. No. 56,253)
"Overheated Journal Bearing Derailment Prevention System"
21 Claims (Cl. 246-169A)

Patent No. 3,937,019
"Thermal Engine"
E. Renner, Assignor to Vereinigte Flugtechnische Werke-Fokker GmbH Filed 25 Oct 1974
Issued 10 Feb 1976
15 Claims (Cl. 60-527)

Patent No. 3,940,935
"Positioning Device using Negative Spring-Rate Tensioning Means"
D. A. Richardson and R. J. Robinson, Assignors to Foxboro Co.
Filed 22 Feb 1974
Issued 2 Mar 1976
17 Claims (Cl. 60-528)

Patent No. 3,948,688
"Martensitic Alloy Conditioning"
J. P. Clark, Assignor to Texas Instruments Inc.
Filed 28 Feb 1975
Issued 6 Apr 1976
10 Claims (Cl. 148-11.5 R)

Patent No. 3,953,253
"Annealing of NiTi Martensitic Memory Alloys and Product Produced Thereby"

J. P. Clark, Assignor Texas Instruments Inc.
Filed 21 Dec 1973
Issued 27 Apr 1976
6 Claims (Cl. 148-131)

Patent No. 3,957,206
"Extendable Rocket Motor Exhaust Nozzle"
J. N. Mason
18 May 1976

Patent No. 3,967,227
"Actuator System with Ambient Temperature Compensation"
D. E. Clarke, R. P. Lackey and J. P. Clark, Assignors to Texas Instruments Inc.
Filed 10 Jan 1975
Issued 29 Jun 1976
21 Claims (Cl. 337-124)

Patent No. 3,999,790
"Heat Releasable Lock"
N. E. Rogen, Assignor to Nicoa Corp.
Filed 6 Oct 1975
Issued 28 Dec 1976
8 Claims (Cl. 292-201)

Patent No. 4,001,928
"Method for Plugging an Aperture with a Heat Recoverable Plug"
R. J. Schweiso, Assignor Raychem Corp.
Filed 3 Jun 1975
Issued 11 Jan 1977
4 Claims (Cl. 29-447)

Patent No. 4,010,455
"Cyclical Bi-Directional Rotary Actuator"
W. C. Stange, Assignor to the U.S.A.
Filed 17 Jul 1975
Issued 1 Mar 1977
25 Claims (C1. 340-224)

Patent No. 4,010,612
"Thermal Motor"
D. J. Sandoval
Filed 13 Dec 1974
Issued 8 Mar 1977
12 Claims (Cl. 60/527-529)

Patent No. 4,016,721
"Positioning Device Using Negative Spring-Rate Tensioning Means"
D. A. Richardson and R. J. Robinson, Assignors to Foxboro Comp
Filed 15 Sep 1975
Issued 12 Apr 1977
5 Claims (Cl. 60-528)

Patent No. 4,018,308
"Elevating by Shape Memory Induction"
N. E. Rogen
Filed 23 Oct 1975
Issued 19 Apr 1977
3 Claims (Cl. 187-17)

Patent No. 4,022,519
"Heat Recoverable Connection"
F. W. Hill, Assignor to Raychem Limited
Filed 14 May 1975
Issued 10 May 1977
10 Claims (C1. 339-30)

Patent No. 4,027,479
"Variable Density Heat Engine"
J. S. Cory
Filed 6 May 1976
Issued 7 Jun 1977
38 Claims (Cl. 60-527)

Patent No. 4,030,298
"Thermal Motor"
Dante J. Sandoval
Filed 19 Feb 1976
Issued 21 Jun 1977
9 Claims (Cl. 60/527-529)

Patent No. 4,035,007
"Heat Recoverable Metallic Coupling"
J. D. Harrison, and J. E. Jervis, Assignors Raychem Corp Filed 29 Oct 1973
Issued 12 Jul 1977
25 Claims (C1. 285-381)

Patent No. 4,037,324
"Method and System for Orthodontic Moving of Teeth"
G. F. Andreasen, Assignor to the University of Iowa Research
Foundation
Filed 21 May 1973
Issued 26 July 1977
19 Claims (Cl. 32-14)

Patent No. 4,037,411
"Thermal Energy Converting Assembly"
P. A. Hochstein
Filed 2 Feb 1976
Issued 26 Jul 1977
28 Claims (Cl. 60-527)

Patent No. 4,049,151
"Metal Expansion Plug"
R. J. Schweiso, Assignor to Raychem Corp.
Filed 4 Jan 1973
Issued 20 Sep 1977
7 Claims (Cl. 220-201)

Patent No. 4,055,955
"Memory Alloy Heat Engine and Method of Operation"
A. D. Johnson
Filed 16 Aug 1976
Issued 1 Nov 1977
25 Claims (C1. 60-527)

Patent No. 4,075,846
"Thermal Engine with Entrapped Working Medium"
Y. T. Li, Assignor to Massachusetts Institute of Technology
Filed 4 May 1976
Issued 28 Feb 1978
9 Claims (Cl. 60-527)

Patent No. 4,086,769
"Compound Memory Engine"
W. K. Smith, Assignor to the U.S.A.
Filed 19 May 1975
Issued 2 May 1978
6 Claims (Cl. 60-527)

Patent No. 4,114,559
"Temperature Monitoring"
N. E. Rogen, Assignor Nicoa Corp.
Filed 28 Aug 1975
Issued 19 Sep 1978
11 Claims (Cl. 116-114.5)

Patent No. 4,117,680
"Continuous Loop Shape Memory Effect Heat Engine"
R. H. Smith, Assignor to Solergy, Inc.
Filed 7 Dec 1976
Issued 3 Oct 1978
4 Claims (C1. 60-527)

Patent No. 4,126,758
"Method for Sealing Integrated Circuit Components with Heat Recoverable Cap and Resulting Package"
J. F. Krumme, Assignor to Raychem Corp.
Filed 30 Apr 1974
Issued 21 Nov 1978
16 Claims (Cl. 174-52 FP)

Patent No. 4,144,057
"Shape Memory Alloys"
K. Melton and O. Mercier, Assignors to BBC Brown Boveri and Co. Filed 25 Aug 1977
Issued 13 Mar 1979
24 Claims (Cl. 75-134)

Patent No. 4,149,911
"Memory Metal Article"
R. J. T. Clabburn, Assignor to Raychem Limited
Filed 17 Jan 1978
Issued 17 Apr 1979
26 Claims (Cl. 148-11.5 R)

十一种的一种的 **对**

DISTRIBUTION LIST

	Copies
Commander	
Naval Sea Systems Command	
Attn: SEA-03B	
SEA-0352	
SEA-0354	
SEA-09G32	2
Washington, D. C. 20362	
Defense Documentation Center	
Cameron Street	
Alexandria, Virginia 22314	12
Director	
Department of Energy	
Attn: John Neal	
Norman Gerstein	
Germantown, MD ₂₀₇₆₇	
Director	
Department of Energy	
Attn: John Michel	
Harry Arnold	
Oak Ridge, TE ₃₇₈₃₀	
Library of Congress	
Washington, D.C. 20540	
Attn: Gift and Exchange Division	4

TO AID IN UPDATING THE DISTRIBUTION LIST FOR NAVAL SURFACE WEAPONS CENTER, WHITE OAK TECHNICAL REPORTS PLEASE COMPLETE THE FORM BELOW:

TO ALL HOLDERS OF NUMC/TR 80-59
by David Goldstein, Code R32
DO NOT RETURN THIS FORM IF ALL INFORMATION IS CURRENT

A. FACILITY NAME AND ADDRESS (OLD) (Show Zip Code)
Now approx (Chan Zin Cada)
NEW ADDRESS (Show Zip Code)
G. ATTENTION LINE ADDRESSES:
•
C.
REMOVE THIS FACILITY FROM THE DISTRIBUTION LIST FOR TECHNICAL REPORTS ON THIS SUBJECT.
D. NUMBER OF COPIES DESIDED

DEPARTMENT OF THE NAVY
NAVAL SURFACE WEAPONS CENTER
WHITE OAK, SILVER SPRING, MD. 20910

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID DEPARTMENT OF THE NAVY DOD 316



COMMANDER
NAVAL SURFACE WEAPONS CENTER
WHITE OAK, SILVER SPRING, MARYLAND 20910

ATTENTION: CODE R32